



CampbellCrimpnology™ offers crimping flexibility for your liquid, bulk, and chemical transfer hose applications.

“CAMPBELL COBRA” VS. “STANDARD COBRA”

“COBRA” is the trade name for our entire line of cam & groove couplings. “Campbell COBRA” is the upgraded versions of Parts C and E. Although imported, Campbell COBRA C’s and E’s are designed by Campbell and produced to strict Campbell specifications.

Features & Benefits

- Designed for use with Campbell Interlocking Ferrules.
- 360° interlock groove on fitting locks ferrule into place for the ultimate in holding power.
- Shank and ferrule lengths are matched for performance and to avoid potential hose tube or hose cover damage (right).
- Serrations designed to grip, seal, and protect hose when crimped. *Note: Traditional “two bump” designs are for banding, not crimping. Campbell does not recommend crimping on “two bump” shanks.*
- Crimped assemblies are low profile and eliminate sharp edges from clamp buckles.
- Couplings use the same ferrules as Crimpnology Nipples, ChemJoint Couplings, and Goodyear InstaLock Cam & Groove Couplings to keep your inventory as flexible as possible.
- Designed to couple and interchange with couplings made to ASTM F1122, CID A-A-59326, MIL-C-27487.

Recommended Hose Attachment

- Interlocking ferrules

Recommended Use

- Multi-purpose liquid, chemical, bulk handling




Campbell Cobra Part C and matching Campbell Interlocking Ferrule



Special Feature

- Locking handles (right) can be purchased assembled onto the coupling or as a kit and retrofitted onto existing inventory ... another easy and cost-effective way to keep inventory flexible.



Locking Handle

MAX. SYSTEM WORKING PRESSURE (PSI @ 70°F) SEE NOTE 1

Hose System Components			Hose Size										
Fitting/Coupling	Attachment	Hose Type ²	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4	6	8
Campbell COBRA Cam & Groove (SS) ⁴	Ferrule	Chem/Rubber	-	-	250	-	250	250	150	150	100	-	-
Campbell COBRA Cam & Groove (Alum) ⁴	Ferrule	Chem/Rubber	-	-	-	-	225	200	150	125	75	-	-

See footnotes 1, 2, and 5 on Page 1



SLEEVES

SLEEVES for Standard or Campbell Cobra Parts C and E

Plated Steel

hose size	sleeve i.d.	part number	list each
3/4	1-8/64	SPS075108	4.36
3/4	1-24/64	SPS075124	4.36
1	1-20/64	SPS100120	4.55
1	1-24/64	SPS100124	4.55
1	1-28/64	SPS100128	4.55
1	1-32/64	SPS100132	4.55
1	1-36/64	SPS100136	4.55
1	1-40/64	SPS100140	4.55
1	1-44/64	SPS100144	4.55
1	1-48/64	SPS100148	4.55
1-1/4	1-56/64	SPS125156	4.55
1-1/4	2	SPS125200	4.55
1-1/2	1-48/64	SPS150148	4.75
1-1/2	1-52/64	SPS150152	4.75
1-1/2	1-56/64	SPS150156	4.75
1-1/2	1-60/64	SPS150160	4.75
1-1/2	2	SPS150200	4.75
1-1/2	2-4/64	SPS150204	4.75
1-1/2	2-8/64	SPS150208	4.75
1-1/2	2-12/64	SPS150212	4.75
1-1/2	2-16/64	SPS150216	4.75
1-1/2	2-20/64	SPS150220	4.75
1-1/2	2-24/64	SPS150224	4.75
2	2-16/64	SPS200216	5.99
2	2-24/64	SPS200224	5.99
2	2-28/64	SPS200228	5.99
2	2-32/64	SPS200232	5.99
2	2-36/64	SPS200236	5.99
2	2-40/64	SPS200240	5.99
2	2-44/64	SPS200244	5.99
2	2-48/64	SPS200248	5.99
2	2-52/64	SPS200252	5.99
2	2-56/64	SPS200256	5.99
2	2-60/64	SPS200260	5.99
2	3	SPS200300	5.99
2	3-2/64	SSS200302	5.99
2-1/2	3	SPS250300	7.67
2-1/2	3-8/64	SPS250308	7.67
2-1/2	3-16/64	SPS250316	7.67
2-1/2	3-24/64	SPS250324	7.67
2-1/2	3-32/64	SPS250332	7.67
2-1/2	3-34/64	SPS250334	7.67

3	3-16/64	SPS300316	10.59
3	3-24/64	SPS300324	10.59
3	3-28/64	SPS300328	10.59
3	3-32/64	SPS300332	10.59
3	3-36/64	SPS300336	10.59
3	3-40/64	SPS300340	10.59
3	3-44/64	SPS300344	10.59
3	3-48/64	SPS300348	10.59
3	3-52/64	SPS300352	10.59
3	3-56/64	SPS300356	10.59
3	4	SPS300400	10.59
3	4-2/64	SPS300402	10.59
4	4-16/64	SPS400416	14.26
4	4-24/64	SPS400424	14.26
4	4-32/64	SPS400432	14.26
4	4-36/64	SPS400436	14.26
4	4-40/64	SPS400440	14.26
4	4-44/64	SPS400444	14.26
4	4-48/64	SPS400448	14.26
4	4-52/64	SPS400452	14.26
4	4-56/64	SPS400456	14.26
4	4-60/64	SPS400460	14.26
4	5	SPS400500	14.26
4	5-2/64	SPS400502	14.26
6	6-16/64	SPS600616	37.39
6	6-24/64	SPS600624	37.39
6	6-32/64	SPS600632	37.39
6	6-40/64	SPS600640	37.39
6	6-48/64	SPS600648	37.39
6	6-56/64	SPS600656	37.39
6	7	SPS600700	37.39
6	7-8/64	SPS600708	37.39
6	7-16/64	SPS600716	37.39
6	7-24/64	SPS600724	37.39
8	8-32/64	SPS800832	87.02
8	8-48/64	SPS800848	87.02
8	9	SPS800900	87.02
8	9-16/64	SPS800916	87.02
8	9-32/64	SPS800932	87.02

304 Stainless

3/4	1-4/64	SSS075104	6.55
3/4	1-8/64	SSS075108	6.55
3/4	1-12/64	SSS075112	6.55
3/4	1-16/64	SSS075116	6.55
3/4	1-24/64	SSS075124	6.55
1	1-16/64	SSS100116	6.87
1	1-20/64	SSS100120	6.87
1	1-24/64	SSS100124	6.87
1	1-28/64	SSS100128	6.87
1	1-32/64	SSS100132	6.87
1	1-36/64	SSS100136	6.87
1	1-40/64	SSS100140	6.87
1	1-44/64	SSS100144	6.87
1	1-48/64	SSS100148	6.87
1-1/4	1-56/64	SSS125156	7.96
1-1/4	2	SSS125200	7.96

continued on next page

Aluminum

1-1/2	1-52/64	SSS150152	8.27	2	2-28/64	SAL200228	10.63
1-1/2	1-56/64	SSS150156	8.27	2	2-32/64	SAL200232	10.63
1-1/2	1-60/64	SSS150160	8.27	2	2-36/64	SAL200236	10.63
1-1/2	2	SSS150200	8.27	2	2-40/64	SAL200240	10.63
1-1/2	2-4/64	SSS150204	8.27	2	2-44/64	SAL200244	10.63
1-1/2	2-8/64	SSS150208	8.27	2	2-48/64	SAL200248	10.63
1-1/2	2-12/64	SSS150212	8.27	2	2-52/64	SAL200252	10.63
1-1/2	2-16/64	SSS150216	8.27	2	2-56/64	SAL200256	10.63
1-1/2	2-20/64	SSS150220	8.27	2	2-60/64	SAL200260	10.63
1-1/2	2-24/64	SSS150224	8.27	2	3	SAL200300	10.63
2	2-16/64	SSS200216	12.33	3	3-32/64	SAL300332	16.07
2	2-24/64	SSS200224	12.33	3	3-36/64	SAL300336	16.07
2	2-28/64	SSS200228	12.33	3	3-40/64	SAL300340	16.07
2	2-32/64	SSS200232	12.33	3	3-44/64	SAL300344	16.07
2	2-36/64	SSS200236	12.33	3	3-48/64	SAL300348	16.07
2	2-40/64	SSS200240	12.33	3	3-52/64	SAL300352	16.07
2	2-44/64	SSS200244	12.33	3	3-56/64	SAL300356	16.07
2	2-48/64	SSS200248	12.33	3	3-60/64	SAL300360	16.07
2	2-52/64	SSS200252	12.33	3	4	SAL300400	16.07
2	2-56/64	SSS200256	12.33	3	4-4/64	SAL300404	16.07
2	2-60/64	SSS200260	12.33	4	4-36/64	SAL400436	21.51
2	3	SSS200300	12.33	4	4-40/64	SAL400440	21.51
2	3-2/64	SSS200302	12.33	4	4-44/64	SAL400444	21.51
2-1/2	3	SSS250300	16.08	4	4-48/64	SAL400448	21.51
2-1/2	3-8/64	SSS250308	16.08	4	4-52/64	SAL400452	21.51
2-1/2	3-16/64	SSS250316	16.08	4	4-56/64	SAL400456	21.51
2-1/2	3-24/64	SSS250324	16.08	4	4-60/64	SAL400460	21.51
2-1/2	3-32/64	SSS250332	16.08	4	5	SAL400500	21.51
2-1/2	3-34/64	SSS250334	16.08	4	5-4/64	SAL400504	21.51
3	3-24/64	SSS300324	17.94	4	5-8/64	SAL400508	21.51
3	3-28/64	SSS300328	17.94	6	6-32/64	SAL600632	63.55
3	3-32/64	SSS300332	17.94	6	6-40/64	SAL600640	63.55
3	3-36/64	SSS300336	17.94	6	6-48/64	SAL600648	63.55
3	3-40/64	SSS300340	17.94	6	6-56/64	SAL600656	63.55
3	3-44/64	SSS300344	17.94				
3	3-48/64	SSS300348	17.94				
3	3-52/64	SSS300352	17.94				
3	3-56/64	SSS300356	17.94				
3	3-60/64	SSS300360	17.94				
3	4	SSS300400	17.94				
3	4-2/64	SSS300402	17.94				
4	4-32/64	SSS400432	29.81				
4	4-36/64	SSS400436	29.81				
4	4-40/64	SSS400440	29.81				
4	4-44/64	SSS400444	29.81				
4	4-48/64	SSS400448	29.81				
4	4-52/64	SSS400452	29.81				
4	4-56/64	SSS400456	29.81				
4	4-60/64	SSS400460	29.81				
4	5	SSS400500	29.81				
4	5-2/64	SSS400502	29.81				